

LAUFEN

Konformitätserklärung

Gemäss der Bauprodukt-Richtlinie 89/106EWG vom 21. Dezember 1988

Wir, die Keramik Holding AG Laufen
Postfach 432, CH - 4242 Laufen
erklären in Alleinverantwortung die Konformität von:

**Bodenstehenden und wandhängenden WC's aus Sanitärkeramik
mit EN 997:2008 und Anhang ZA gemäss Richtlinie 89/106/EWG**

Model	Designline	Description	WC with flushing thank	Designation code
8.2006.0	Object	Wallhung WC		CE/EN 997 - CL1 - 5A - 6C
8.2016.0	Gallery	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2026.9	Object	Floorstanding WC combination	2616.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2029.9	Vienna	Floorstanding WC combination	2647.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2043.5	Living	Wallhung WC		CE/EN 997 - CL1 - 5A - 6C
8.2043.5	Living	Wallhung WC		CE / EN 997 - CL2
8.2043.8	Living	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2045.9	Vienna	Floorstanding WC combination	2647.0/2	CE/EN 997 - CL1 - 5A - VRII
8.2045.9	Vienna	Floorstanding WC combination	2647.0/2	CE/EN 997 - CL2
8.2047.0	Vienna Comfort	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2055.0	Mimo	Wallhung WC		CE/EN 997 - CL1 - 5A - 6C
8.2055.0	Mimo	Wallhung WC		CE/EN 997 - CL2
8.2058.0	Vienna	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2067.1	Form	Wallhung WC		CE/EN 997 - CL1 - 5A - 6C
8.2067.1	Form	Wallhung WC		CE / EN 997 - CL2
8.2067.2	Form	Wallhung WC		CE/EN 997 - CL1 - 5A - 6C
8.2068.0	Lb3	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2068.0	Lb3	Wallhung WC		CE/EN 997 - CL2
8.2068.1	LB 3	Wallhung WC		CE/EN 997 - CL1 - 5A - 6C
8.2068.1	LB 3	Wallhung WC		CE / EN 997 - CL2
8.2080.1	Palomba	Wallhung WC		CE/EN 997 - CL1 - 5A
8.2095.0	Laufen pro	Wallhung WC		CE / EN 997 - CL2
8.2095.1	Laufen pro	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2095.2	Laufen pro	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2095.2	Laufen pro	Wallhung WC		CE/EN 997 - CL2
8.2095.3	Laufen pro	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2095.5	Laufen pro	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2106.0	Object	Wallhung WC		CE/EN 997 - CL1 - 5A - 6C
8.2106.0	Object	Wallhung WC		CE/EN 997 - CL2
8.2110.0	Suprema	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2116.1	Gallery	Floorstanding WC combination	2717.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2117.9	Gallery	Floorstanding WC combination	2717.0/2	CE/EN 997 - CL1 - 5A - VRII
8.2117.9	Gallery	Floorstanding WC combination	2717.0/2	CE/EN 997 - CL2
8.2126.0	Object	Floorstanding WC combination	2616.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2126.9	Object	Floorstanding WC combination	2616.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2131.9	Suprema	Floorstanding WC combination	2636.0/2, 2646.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2133.0	Suprema	Floorstanding WC combination	2636.0/2, 2646.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2140.8	Melos	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2145.9	Vienna Comfort	Floorstanding WC combination	2647.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2146.0	Object	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2146.8	Object	Floorstanding WC		CE/EN 997 - CL1 - 5A - 6C
8.2147.0	Libertyline	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2155.1	Mimo	Floorstanding WC	UP	CE/EN 997 - CL1 - 5A - 6C
8.2155.1	Mimo	Floorstanding WC	Geberit 111.383.00.1	CE/EN 997 - CL2
8.2156.1	Vienna	Floorstanding WC		CE/EN 997 - CL1 - 5A - 6C
8.2156.1	Vienna	Floorstanding WC	Geberit 111.383.00.1	CE/EN 997 - CL2

LAUFEN

Konformitätserklärung

Gemäss der Bauprodukt-Richtlinie 89/106EWG vom 21. Dezember 1988

Wir, die Keramik Holding AG Laufen
Postfach 432, CH - 4242 Laufen
erklären in Alleinverantwortung die Konformität von:

**Bodenstehenden und wandhängenden WC's aus Sanitärkeramik
mit EN 997:2008 und Anhang ZA gemäss Richtlinie 89/106/EWG**

Model	Designline	Description	WC with flushing tank	Designation code
8.2158.0	Vienna	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2158.0	Vienna	Wallhung WC		CE/EN 997 - CL2
8.2159.9	Vienna	Floorstanding WC combination	2647.0/2	CE/EN 997 - CL1 - 5A - VR II
8.2159.9	Vienna	Floorstanding WC combination	2647.0/2	CE/EN 997 - CL2
8.2165.0	Suprema	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2167.1	Form	Floorstanding WC	UP	CE/EN 997 - CL1 - 5A - 6C
8.2167.1	Form	Floorstanding WC	UP	CE / EN 997 - CL2
8.2168.4	Lb3	Floorstanding WC	UP	CE/EN 997 - CL1 - 5A - 6C
8.2168.4	Lb3	Floorstanding WC	Geberit 111.383.00.1	CE/EN 997 - CL2
8.2197.1	Alessi	Floorstanding WC	UP	CE/EN 997 - CL1 - 5A - 6C
8.2199.0	Albonova	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2199.8	Albonova	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2213.0	Pascha	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2213.5	Pascha	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2276.0	Duo	Floorstanding WC combination	2636.0/2, 2646.0/2	CE/EN 997 - CL1 - 6A - VR II
8.2294.3	Mylife	Floorstanding WC combination	Geberit Nr. 273.331.00.1	CE/EN 997 - CL1 - 5A - VR II
8.2294.3	Mylife	Floorstanding WC combination	Geberit Nr. 273.331.00.1	CE/EN 997 - CL2
8.2297.6	Alessi	Floorstanding WC combination	Geberit Nr. 273.331.00.1	CE/EN 997 - CL1 - 6A - VR II
8.2297.6	Alessi	Floorstanding WC combination	Geberit Nr. 273.331.00.1	CE/EN 997 - CL2
8.2300.0	Albonova	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2300.8	Albonova	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2305.0	Albonova	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2305.8	Albonova	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2306.0	Object	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2306.8	Object	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2307.0	Pascha	Floorstanding WC		CE/EN 997 - CL1 - 6A - 6C
8.2347.0	Vienna Comfort	Wallhung WC		CE/EN 997 - CL1 - 6A - 6C
8.2347.0	Vienna Comfort	Wallhung WC		CE/EN 997 - CL2
8.2355.6	Mimo	Floorstanding WC combination	2755.0/2	CE/EN 997 - CL1 - 5A - VR II
8.2355.6	Mimo	Floorstanding WC combination	2755.0/2	CE/EN 997 - CL2
8.2367.6	Form	Floorstanding WC combination		CE/EN 997 - CL1 - 5A - VR II
8.2367.6	Form	Floorstanding WC combination		CE/EN 997 - CL 2
8.2380.6	Palomba	Floorstanding WC combination	UP	CE/EN 997 - CL1 - 5A - 6C
8.2380.6	Palomba	Floorstanding WC combination	UP	CE/EN 997 - CL 2
8.2390.6	Alessi dOt	Floorstanding WC combination	Geberit Nr. 273.331.00.1	CE/EN 997 - CL1 - 5A - VR II
8.2390.6	Alessi dOt	Floorstanding WC combination	Geberit Nr. 273.331.00.1	CE/EN 997 - CL2
8.2417.1	Gallery	Floorstanding WC	UP	CE/EN 997 - CL1 - 5A - 6C
8.2417.1	Gallery	Floorstanding WC	UP	CE/EN 997 - CL2
8.2455.6	Mimo	Floorstanding WC combination	2755.0/2	CE/EN 997 - CL1 - 5A - VR II
8.2455.6	Mimo	Floorstanding WC combination	2755.0/2	CE/EN 997 - CL2
8.2468.4	Lb3	Floorstanding WC combination	2868.0/2	CE/EN 997 - CL1 - 5A - VR II
8.2468.4	Lb3	Floorstanding WC combination	2868.0/2	CE/EN 997 - CL2
8.2480.6	Palomba	Floorstanding WC combination	2880.0/2	CE/EN 997 - CL1 - 5A - VR II
8.2480.6	Palomba	Floorstanding WC combination	2880.0/2	CE/EN 997 - CL2
8.2490.6	Alessi dOt	Floorstanding WC	UP	CE/EN 997 - CL1 - 5A - 6C
8.2495.8	Laufen pro	Floorstanding WC combination	2695.0/2	CE/EN 997 - CL1 - 5A - VR II

Alfred Mittermair

Alfred Mittermair
Director Production

LAUFEN

Konformitätserklärung

Gemäss der Bauprodukt-Richtlinie 89/106EWG vom 21. Dezember 1988

Wir, die Keramik Holding AG Laufen
Postfach 432, CH - 4242 Laufen
erklären in Alleinverantwortung die Konformität von:

**Bodenstehenden und wandhängenden WC's aus Sanitärkeramik
mit EN 997:2008 und Anhang ZA gemäss Richtlinie 89/106/EWG**

Model	Designline	Description	WC with flushing thank	Designation code
8.2495.8	Laufen pro	Floorstanding WC combination	2695.0/2	CE/EN 997 - CL2
8.2495.9	Laufen pro	Floorstanding WC combination	2695.0/2	CE/EN 997 - CL1 - 6A - VRII
8.2007.1	Gallery	Floorstanding WC combination	82717.0/2	CL1 - 5 - VRII
8.2007.1	Gallery	Floorstanding WC combination	82717.0/2	CL2
8.2017.0	Gallery	Wallhung WC		CL1 - 6/5A - 6C
8.2017.0	Gallery	Wallhung WC	GEBERIT 111.383.00.1	CL2
8.2043.0	Living	Wallhung WC		CL 1 - 6/5/4A - 6c
8.2043.0	Living	Wallhung WC	GEBERIT 111.383.00.1	CL2
8.2054.0	Modernaplus	Wallhung WC		CL 1 -5A - 6c
8.2054.0	Modernaplus	Wallhung WC	GEBERIT 111.383.00.1	CL 2
8.2054.1	Moderna R	Wallhung WC		CL 1 -5/ 6A
8.2054.1	Moderna R	Wallhung WC	GEBERIT 111.383.00.1	CL 2
8.2094.6	Mylife	Wallhung WC		CL1 - 5A - 6C
8.2094.6	Mylife	Wallhung WC	GEBERIT 111.383.00.1	CL2
8.2097.6	Alessi One	Wallhung WC		CL1 - 5/6A - 5C
8.2097.6	Alessi One	Wallhung WC	GEBERIT 111.383.00.1	CL2
8.2143.6	Living	Floorstanding WC		CL1 - 5A - 6C
8.2143.6	Living	Floorstanding WC	GEBERIT 111.383.00.1	CL2
8.2195.6	Laufen pro	Floorstanding WC		CL1 - 6A -6C
8.2195.7	Laufen pro	Floorstanding WC		CL1 - 6A - 6C
8.2195.8	Laufen pro	Floorstanding WC		CL1 - 6A
8.2195.9	Laufen pro	Floorstanding WC		CL1 - 6A
8.2295.1	Laufen pro	Floorstanding WC		CL1 - 6A -6C
8.2295.1	Laufen pro	Floorstanding WC	GEBERIT 111.383.00.1	CL2
8.2346.1	Moderna	Floorstanding WC combination	82646.0/2	CL1 - 5/6A - VRII
8.2346.1	Moderna	Floorstanding WC combination	GEBERIT 128300	CL1 - 5/6A - VRII
8.2346.2	Moderna	Floorstanding WC combination	82646.0/2	CL1 - 5/6A - VRII
8.2346.2	Moderna	Floorstanding WC combination	GEBERIT 128300	CL1 - 5/6A - VRII
8.2443.6	Living	Floorstanding WC combination	82643.0	CL1 - 6 - VRII
8.2443.6	Living	Floorstanding WC combination	82643.0	CL2
8.2446.0	Moderna	Wallhung WC combination	82646.0	CL1 - 6 - VRII
8.2446.0	Moderna	Wallhung WC combination	GEBERIT 128300	CL1 - 6 - VRII
8.2495.6	Laufen pro	Floorstanding WC combination	82695.0	CL1 - 6 - VRII
8.2495.6	Laufen pro	Floorstanding WC combination	82695.0	CL2
8.2495.7	Laufen pro	Floorstanding WC combination	82695.0	CL1 - 6 - VRII
8.2546.5	Moderna	Wallhung WC		CL1 - 5/6A
8.2546.7	Moderna	Wallhung WC		CL1 - 5/6A
8.2595.6	Laufen pro	Floorstanding WC combination		CL1-6A-6C
8.2595.7	Laufen pro	Floorstanding WC combination		CL1-6A-6C